

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Chatterjee, Malaya Foon, Kenneth A. Chatterjee, Sunil K.

(ii) TITLE OF INVENTION: MURINE MONOCLONAL ANTI-IDIOTYPE ANTIBODY 11D10
AND METHODS OF USE THEREOF

(iii) NUMBER OF SEQUENCES: 58

(iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: MORRISON & FOERSTER
- (B) STREET: 755 PAGE MILL ROAD
- (C) CITY: PALO ALTO
- (D) STATE: CA
- (E) COUNTRY: USA
- (F) ZIP: 94304-1018

10

5

- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER: US
- (B) FILING DATE:
- (C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: Polizzi, Catherine M.
- (B) REGISTRATION NUMBER: 40,130
- (C) REFERENCE/DOCKET NUMBER: 30414-20003.21

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: (415) 813-5600
- (B) TELEFAX: (415) 494-0792
- (C) TELEX: 706141

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 435 base pairs
 - (B) TYPE nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

25

20


153

pa-148725.v3



			(ix)		A) N	AME/I									•		Cli	ient Ref. 11I
			(ix)) FE <i>l</i>	ATURI A) N	AME/I	KEY:	mat_		tide		-						
			•	(1	3) L(CAT:	ION:	d1										•
	5		(xi)	SE	QUEN	CE DI	ESCR	i þ tid	ON: S	SEQ :	ID N	0:1:					•	
	_	ATG	GGG	GCC	CCT	GCT	CAG	ATT	CTT	GGG	TTC	TTG	TTG	CTC	TTG	TTT	CCA	48
		Met	Gly	Ala	Pro	Ala	Gln	Ile	Leu	Gly	Phe		Leu	Leu	Leu	Phe		
		-20					-1\$					-10					-5	
		GGT	ACC	AGA	TGT	GAC	AT/C	CAG	ATG	ACC	CAG	TCT	CCA	TCC	TCC	TTA	TCT	96
		Gly	Thr	Arg	Cys	Asp 1	Ile	Gln	Met	Thr 5	Gln	Ser	Pro	Ser	Ser 10	Leu	Ser	
	1	GCC	TOT	СТС	CCA	CAA	J _{GA}	GTC	ΔСТ	СТС	ልሮጥ	ጥርሞ	CGG	GCA	ልርጥ	CAG	GAC	144
	10/					Gln												
				15	-				20			_		25				
	/	АТТ	GGT	ÀTT	AAC	TTA	CAT	TGG	СТТ	CAG	CAG	GAA	CCA	GAT	GGA	ACT	ATT	192
	,					Leu												
			30					35					40					
		AAA	CGC	CTG	ATC	TAC	GCC	ACA	TCC	AGT	TTA	GGT	TCT	GGT	GTC	CCC	AAA	240
U /			Arg	Leu	Ile	Tyr		Thr	Ser	Ser	Leu		Ser	Gly	Val	Pro		
M M	15	45					50					55					60	
		AGG	TTC	AGT	GGC	AGT	AGG	TCT	GGG	TCA	GAT	TAT	TCT	CTC	ACC	ATC	AGC	288
5		Arg	Phe	Ser	Gly	ser	Arg	Ser	Gly	Ser		Tyr	Ser	Leu	Thr		Ser	
H Tu						65					70					75		
<u> </u>		AGC	CTT	GAG	TCT	GAA	GAT	TTT	GTA	GCC	TAT	TAC	TGT	CTA	CAA	TAT	GCT	336
U		Ser	Leu	Glu	- 1	Glu	Asp	Phe	Val		Tyr	Tyr	Cys	Leu		Tyr	Ala	
<u> </u>					89					85					90			
ŋ		AGT	TCT	CCG	TAC	ACG	TTC	GGA	GGG	GGG	ACC	AAG	CTG	GAA	ATA	AAA	CGG	384
	20	Ser	Ser		туr	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	Arg	
				95					100					105				
		GCT	GAT	GCT	¢CA	CCA	ACT	GTA	TCC	ATC	TTC	CCA	CCA	TCC	AGT	AAG	CTT	432
		Ala	Asp	Ala	Ala	Pro	Thr	Val	Ser	Ile	Phe	Pro	Pro	Ser	Ser	Lys	Leu	
			110	i				115					120					
		GGG																435
		Gly											,					_
	25	125		- 1														•
	ر ک			1														





(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 145 amino acids
 - (B) TYPE: /amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Gly Ala Pro Ala Gln Ile Leu Gly Phe Leu Leu Leu Leu Phe Pro
-20 -15 -10 -5

Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser

1 5 10

Ala Ser Leu Gly Glm Arg Val Ser Leu Thr Cys Arg Ala Ser Glm Asp
15 20 25

Ile Gly Ile Asn Leu His Trp Leu Gln Gln Glu Pro Asp Gly Thr Ile 30 35 40

Lys Arg Leu Ile Tyr Ala Thr Ser Ser Leu Gly Ser Gly Val Pro Lys
45 50 55 60

Arg Phe Ser Gly Ser Arg Ser Gly Ser Asp Tyr Ser Leu Thr Ile Ser
65 70 75

Ser Leu Glu Ser Glu Asp Phe Val Ala Tyr Tyr Cys Leu Gln Tyr Ala 80 85 90

Ser Ser Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg
95 100 105

Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Lys Leu 110 115 120

Gly 20 125

25

(2) INFORMATION FOR SEQ ID NO:3:


- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 461 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - /(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

155

pa-148725.v3

(III



144

288

336

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..459

(ix) FEATURE:

(A) NAME/KEY: mat peptide

(B) LOCATION: 58

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

5

П

15

ATG	GAA	TGC	AGC	TGG	GTC	TTT	CTC	TTC	CTC	CTG	TCA	ATA	ACT	ACA	GGT	48
Met	Glu	Cys	Ser	Trp	Val	Phe	Leu	Phe	Leu	Leu	Ser	Ile	Thr	Thr	Gly	
-19				-15					-10			4		- 5		

GTC CAC TCC CAG GCT TAT CTA CAG CAG TCT GGG GCT GAG CTG GTG AGG Val His Ser Gln Ala Tyr Leu Gln Gln Ser Gly Ala Glu Leu Val Arg

5

TCT GGG GCC TCA GTG AAG ATG TCC TGC AAG GCT TCT GGC TAC ACA TTG
Ser Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Leu

15 20 25

ACC AGT TAC AAT ATG CAC TGG GTA AAG CAG ACA CCT GGA CAG GGC CTG

Thr Ser Tyr Asn Met His Trp Val Lys Gln Thr Pro Gly Gln Gly Leu

30

45

GAA TGG ATT GGA AAT ATT TTT CCT GGA AAT GGT GAT ACT TAC TAC AAT 240
Glu Trp Ile Gly Asn Ile Phe Pro Gly Asn Gly Asp Thr Tyr Tyr Asn

CAG AAG TTT AAG GCC AAG GCC TCA TTG ACT GCA GAC ACA TCC TCC AGC Gln Lys Phe Lys Gly Lys Ala Ser Leu Thr Ala Asp Thr Ser Ser .

65 70 75

ACA GCC TAC ATG CAG ATC AGC AGC CTG ACA TCT GAA GAC TCT GCG GTC

Thr Ala Tyr Met Gln Ile Ser Ser Leu Thr Ser Glu Asp Ser Ala Val

80 85 90

TAT TTC TGT GCA AGA GGG AAC TGG GAG GGT GCT CTG GAC TAC TGG GGT 384

20 Tyr Phe Cys Ala Arg Gly Asn Trp Glu Gly Ala Leu Asp Tyr Trp Gly

CAA GGA ACC TCA GTC ACC GTC TCC TCA GCC AAA ACG ACA CCC CCA CCC 432
Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Pro

110 115 120 125

GTC TAT CCA QTG GTC CCT GGA AGC TTG GG 461

Val Tyr Pro Leu Val Pro Gly Ser Leu

130



(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 153 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Glu Cys Ser Trp Val Phe Leu Phe Leu Ser Ile Thr Thr Gly

Val His Ser Gln Ala Tyr Leu Gln Gln Ser Gly Ala Glu Leu Val Arg 1

Ser Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Leu 15 20

Thr Ser Tyr Asn Met His Trp Val Lys Gln Thr Pro Gly Gln Gly Leu

Glu Trp Ile Gly Asm Ile Phe Pro Gly Asn Gly Asp Thr Tyr Tyr Asn 55 50

Gln Lys Phe Lys Gl ψ Lys Ala Ser Leu Thr Ala Asp Thr Ser Ser Ser

15 Thr Ala Tyr Met Gln Ile Ser Ser Leu Thr Ser Glu Asp Ser Ala Val 85 , 80

Tyr Phe Cys Ala Arg Gly Asn Trp Glu Gly Ala Leu Asp Tyr Trp Gly 100

Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Pro 110 120 125

Val Tyr Pro Leu Val Pro Gly Ser Leu 20 130

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 321 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

GACATCCAGA TGACCCAGTC TCCATCCTCC TTATCTGCCT CTCTGGGAGA AAGAGTCAGT

₽ <u>⊢</u> N 1 Ш Ú

10

\
',
211
70
()
E,
1
a)

I.I
o u
#===
Ţ.
H-
ليا
Ū
គ្នា
₩.

						ocket No. 3041	
	CTCACTTGTC	GGGCAAGTCA	GGACATTGGT	AGTAGCTTAA	ACTGGCTTCA	GCAGGAACCA I	Ref_11D10
	GATGGAACTA	TTAAACGCCT	GATCTACGCC	ACATCCAGTT	TAGATTCTGG	TGTGCCCAAA	180
	AGGTTCAGTG	GCAGTAGGTC	TOGGTCAGAT	TATTCTCTCA	CCATCAGCAG	CCTTGAGTCT	240
	GAAGATTTTG	TAGACTATTA	OTGTCTACAA	TATGCTAGTT	CTCCGTACAC	GTTCGGAGGG	300
	GĠGACCAAGC	TGGAAATAAA	†				321
	(2) INFORM	ATION FOR SE	D ID NO:6:				
/	1	EQUENCE CHAP (A) LENGTH: (B) TYPE: n (C) STRANDE (D) TOPOLOGY EQUENCE DESC	321 base pa cleic acid DNESS: singl	airs Le			
	/	TGACCCAGTC			CTCTGGGAGA	AAGAGTCAGT	60
		GGGCAAGTQA					120
		TTAAACGCCT					180
		GCAGTAGGTC				•	240
	GAAGATTTTG	TAGACTATTA	CTGTCTACAA	TATGCTAGTT	GTCCGTACAC	GTTCGGAGGG	300
	GGGACCAAGC	TGGAAATAAA	A				321
	(2) INFORM	ATION FOR SI	EQ ID NO:7:				
	(i) S	EQUENCE CHAP (A) LENGTH: (B) TYPE: no (C) STRANDED (D) TOPOLOGY	321 base pa acleic acid DNESS: singl	airs			
	(xi) S	EQUENCE DESC	CRIPTION: SI	EQ ID NO:7:			
	GACATCCAGA	TGACCCAGTC	TCCATCCTCC	TTATCTGCCT	CTCTGGGAGA	AAGAGTCAGT	60
	CTCACTTGTC	: GGGCAAGTCA	GGACATTGGT	AGTAGCTTAA	ACTGGCTTCA	GCAGGAACCA	120
	GATGGAACTA	TTATACGCCT	GATCTACGCC	ACATCCAGTT	TAGATTCTGG	TGTCCCCAAA	180
	AGGTTCAGTG	GCAGTAGGTC	TGGGTCAGAT	TATTCTCTCA	CCATCAGCAG	CCTTGAGTCT	240
		· 1					

GAAGATTTTG TAGACTATTA CTGTCTACAA TATGCTAGTT CTCCGTGGAC GTTCGGTGGA

GGCACCAAGC TGGAAATCAA A

20

25

5

(2)	INFO	RMATION	FOR	SEQ	ID	NO:8	ł :
	(i)	SEQUENC	CE C	HARAG	CTE	RISTI	: C

(A) LENGTH: 321 base pairs
(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DE\$CRIPTION: SEQ ID NO:8:

GACATCCAGA TGACCCAGTC TCCATCCTCC TTATCTGCCT CTCTGGGAGA AAGAGTCAGT 60

CTCACTTGTC GGCCAAGTCA GGACATTGGT AGTAGCTTAA ACTGGCTTCA GCAGGAACCA 120

GATGGAACTA TTAAACGCCT GATCTACGCC ACATCCAGTT TAGATTCTGG TGTCCCCAAA 180

AGGTTCAGTG GCAGTAGGTC TGGGTCAGAT TATTCTCTCA CCATCAGCAG CCTTGAGTCT 240

GAAGATTTTG TAGACTATTA CTGTCTACAA TATGCTAGTT CTCCGTGGAC GTTCGGTGGA 300

GGCACCAAGC TGGAAATCAA A 321

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENÇE CHARACTERISTICS:
 - (A) LENGTH: 321 base pairs
 - (B) TYPE: nucleic acid
 - (C) \$TRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GACATCCAGA TGACCCAGTC TCCATCCTCC TTATCTGCCT CTCTGGGAGA AAGAGTCAGT 60

CTCACTTGTC GGCCAAGTCA GGACATTGGT AGTAGCTTAA ACTGGCTTCA GCAGGAACCA 120

GATGGAACTA TTAAACGCCT GATCTACGCC ACATCCAGTT TAGATTCTGG TGTCCCCAAA 180

AGGTTCAGTG GCAGTAGGTC TGGGTCAGAT TATTCTCTCA CCATCAGCAG CCTTGAGTCT 240


GAAGATTTTG TAGACTATTA CTGTCTACAA TATGCTAGTT CTCCGTGGAC GTTCGGTGGA 300

GGCACCAAGC TGGAAATCAA A 321

(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 318 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear





	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	Client Rei	i. HDI
	ATCCAGATGA CCCAGTCTCC ATCCTCCTTA TCTGCCTCTC TGGGAGAAAG	AGTCAGTCTC	60
	ACTTGTCGGG CAAGTCAGGA CATTGGTAGT AGCTTAAACT GGCTTCAGCA	GGAACCAGAC	120
	GGAACTATTA AACGCCTGAT CTACGCCACA TCCAGTTTAG ATTCTGGTGT	CCCCAAAAGG	180
	TTCAGTGGCA GTAGGTCTGG GTCAGATTAT TCTCTCACCA TCAGCAGCCT	TGAGTCTGAA	240
	GATTTTGTAG ACTATTACT TCTACAATAT GCTAGTTCTC CGTGGACGTT	CGGTGGAGGC	300
	ACCAAGCTGG AAATCAAA	•	318
	(2) INFORMATION FOR SEQ ID NO:11:		
_	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH. 303 base pairs		

10/

5

- (A) LENGTH: 303 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

TCTCCATCCT CCTTATCTGC CTCTCTGGGA GAAAGAGTCA GTCTCACTTG TCGGGCAAGT 60

CAGGACATTG GTAGTAGCTT AAACTGGCTT CAGCAGGAAC CAGATGGAAC TATTAAACGC 120

CTGATCTACG CCACATCCAG TTTAGATTCT GGTGTCCCCA AAAGGTTCAG TGGCAGTAGG 180

TCTGGGTCAG ATTATTCTCT CACCATCAGC AGCCTTGAGT CTGAAGATTT TGTAGACTAT 240

TACTGTCTAC AATATGCTAG TTCTCCGTAC ACGTTCGGAG GGGGGACCAA GCTGNAAATA 300

AAA 303

(2) INFORMATION FOR SEQ ID NO:12:

20

15

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 321 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(x[‡]) SEQUENCE DESCRIPTION: SEQ ID NO:12:

GACATCCAGA TGACCCAGTC TCCATCCTCC TTATCTGCCT CTCTGGGAGA AAGAGTCAGT 60

CTCACTTGTC GGGCAAGTCA GGAAATTAGT GGTTACTTAA GCTGGCTTCA GCAGAAACCA 120

GATGGAACTA TTAAACGCCT GATCTACAGC ACATCCACTT TAAATTCTGG TGTCCCAAAA 180

AGGTTCAGTG GCAGTAGGTC TGGGTCAGAT TATTCTCTCA CCATCAGCAG CCTTGAGTCT 240

321

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 303 base pairs 5 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13: rctccatcct ccttatctgc ctctctggga gaaagagtca gtctcacttg tcgggcaagt 60 CAGGACATTG GTAATAGCTT AAACTGGCTT CAGCAGGAAC CAGATGGAAC TATTAAACGC 120 CTGATCTACG CCACATCCAG TTTAGATTCT GGTGTCCCCA AAAGGTTCAG TGGCAGTAGG 180 TCTGGGTCAG ATTATTCTCT CACCATCAGC AGCCTTGAAT CTGAAGATTT TGTAGTCTAT 240 300 TACTGTCTAC AATA/TGCTAG TTATACGTAC ACGTTCGGAG GGGGGACCAA GTTGGAACTA 303 AAA (2) INFORMATION FOR SEQ ID NO:14: 15 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 321 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14: Ū GACATCCAGA TGACCCAGTC TCCATCCTCC TTATCTGCCT CTCTGGGAGA AAGAGTCAGT 60 20 CTCACTTGTC GGGCAAGTCA GGAAATTAGT GGTTACTTAA GCTGGCTTCA GCAGAAACCA 120 GATGGAACTA TTAAACGCCT GATCTACGCC GCATCCACTT TAGATTCTGG TGTCCCAAAA 180 AGGTTCAGTG GCAGTAGGTC TGGGTCAGAT TATTCTCTCA CCATCAGCAG CCTTGAGTCT 240 300 GAAGATTTTG CAGACTATTA CTGTCTACAA TATCTTAGTT ATCCGCTCAC GTTCGGTGCT GGGACCAAGC TGGAGCTGAA A 321 25 (2) INFORMATION FOR SEQ ID NO:15: (1) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 294 base pairs

pa-148725.v3

161

GAAGATTTTG CAGACTATTA CTGTCTACAA TATGCTAGTT CTCCGTACAC GTTCGGAGGG

GGGACCAAAC TGGAAATAAA A

(2) INFORMATION FOR SEQ ID NO:13:

m

5





- (B) TYPE: nucleic acid (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

CAGGCTTATN TACAGCAGTC TGGGGCTGAG CTGGTGAGGC CTGGGGCCTC AGTGAAGATG 60 TCCTGCAAGG CTTCTGGCTA CACATTTACC AGTTACAATA TGCACTGGGT AAAGCAGACA 120 CCTAGACAGG GCCTGGAATG GATTGGAGCT ATTTATCCAG GAAATGGTGA TACTTCCTAC 180 AATCAGAAGT TCAAGGGQAA GGCCACACTG ACTGTAGACA AATCCTCCAG CACAGCCTAC 240 ATGCAGCTCA GCAGCCTBAC ATCTGAAGAC TCTGCGGTCT ATTTCTGTGC AAGA 294

- (2) INFORMATION FOR SEQ ID NO:16:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 46 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENÇE DESCRIPTION: SEQ ID NO:16:

TGCTATGGAC TACTGGGGTC AAGGAACCTC AGTCACCGTC TCCTCA 46

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 360 base pairs
- TYPE: nucleic acid (B)
- (d) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

CAGGCTTATC TACAGCAGTC TGGGGCTGAG CTGGTGAGGC CTGGGGCCTC AGTGAAGATG 60 TCCTGCAAGG CTTCTGGCTA CAGATTTACC AGTTACAATA TGCACTGGGT AAAGCAGACA 120 CGTAGACAGG GCCTGGAATG GATTGGAGCA ATTTATCCAG GAAATGGTGA TACTTCCTAT 180 AATCAGAÁGT TCAAGGGCAA GGCCACACTG ATTGTAGACA AATCCTCCAG CACAGCCTAC 240 ATGCAGLTCA GCAGCCTGAC ATCTGAAGAC TCTGCGGTCT ATTTCTGTGC AAGAGAGAG 300 GGTAACTACG TAGGACATAT GGACTACTGG GGTCAAGGAA CCTCAGTCAC CGTCTCCTCA 360

25

15

N	M
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	T
r can'l sust Hadi	
lum udh	U ≟
ž.	J D N

		(2) INFORMATION FOR SEQ ID NO:18:	≥f. 11
		(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 354 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:	
	J	CAGGCTTATC TACAGCAGTC TGGGGCTGAG CTGGTAAGGC CTGGGTCCTC AGTGAAGATG	60
		TCCTGCAAGG CTTCTGGCTA CACATTTACC AGTTACAATA TGCACTGGGT AAAGCAGACA	120
	/	CTAGACAGG GCCTGGAATG GATTGGAGCT ATTTATCCAG GAAATGGTGA TACTTCCTAC	180
1	/	AATCAGAAGT TCAAGGGCAA GGCCACACTG ACTGTAGACA AATCCTCCAG CACAGCCTAC	240
\mathcal{N}_{λ}	10	ATGCAGCTCA GCAGCCTGAC ATCTGAAGAC TCTGCGGTCT ATTTCTGTGC AAGAGGGGAT	300
7/	10	TACTCCGGTA GTATAGACTA CTGGGGCCAA GGCACCACTC TCACAGTCTC CTCA	354
	/	(2) INFORMATION FOR SEQ ID NO:19:	
\$\ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 297 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19: 	
# Li		CAGGCTTATC TA¢AGCAGTC TGGGGCTGAG CTGGTGAGGC CTGGGGCCTC AGTGAAGATG	60
TJ L		TCCTGCAAGG CTCTGGCTA CACATTTACC AGTTACAATA TGCACTGGGT AAAGCAGACA	120
u o		CCTAGACAGG GCTGGAATG GATTGGAGCT ATTTATCCAG GAAATGGTGA TACTTCCTAC	180
m	20	AATCAGAAGT TCAAGGGCAA GGCCACACTG ACTGTAGACA AATCCTCCAG CACAGCCTAC	240
	20	ATGCAGCTCA GCAGCCTGAC ATCTGAAGAC TCTGCGGTCT ATTTCTGTGC AAGAGTG	297
		(2) INFORMATION FOR SEQ ID NO:20:	
	25	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	-	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:	
•		CTGGGGCACA GGGACCACGG TCACCGTCTC C	31
		163	
		pa-148725.v3	

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

pa-148/25.v3

		(2) INFORMATION FOR SEQ ID NO:24:	lient Ref. 11D
		(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 46 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24: TGCTATGGAC TACTGGGGTC AGGGAACCTC AGTCACCGTC TCCTCA	46
		(2) INFORMATION FOR SEC ID NO:25:	
\mathcal{N}_{\sim}) 10	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 295 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
M	<i>!</i> . ,	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:	
	\setminus	CAGGTTCAGC TCCAGCAGTC TGGGGCTGAG CTGGCAAGAC CTGGGGCTTC AGTGAAGT	
		TCCTGCAAGG CTTCTGGCTA CACCTTTACT AGCTACTGGA TGCAGTGGGT AAAACAGA	GG 120
		CCTGGACAGG GTCTGGAATG GATTGGGGCT ATTTATCCTG GAGATGGTGA TACTAGGT	AC 180
V	15	ACTCAGAAGT TCAAGGGGAA GGCCACATTG ACTGCAGATA AATCCTCCAG CACAGCCT	AC 240
	10	ATGCAACTCA GCAGCTTGGC ATCTGAGGAC TCTGCGGTCT ATTACTGTGC AAGAG	295
		(2) INFORMATION FOR SEQ ID NO:26: (i) SEQUENCE CHARACTERISTICS:	
IJ		(A) LENGTH: 46 base pairs (B) TYPE: nucleic acid	
<u>a</u>		(C) STRANDEDNESS: single	
₩,	20	(D) TOPOLOGY: linear	
	20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:	
		TGCTATGGAC TACTGGGGTC AAGGAACCTC AGTCACCGTC TCCTCA	46
		(2) INFORMATION FOR SEQ ID NO:27:	
	25	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 294 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
		165	

10

15





(X1)	SEQUENCE	DESCRIPTION	ĮΝ:	SEQ	TD	NO:47:
			I			
		1				

CAGGTTCAGC	TCCAGCAGTC	TGGGGCTGAG	CTGGCAAGAC	CTGGGGCTTC	AGTGAAGTTG	60
TCCTGCAAGG	CTTCTGGCTA	CACCTTACT	AGCTACTGGA	TGCAGTGGGT	AAAACAGAGG	120
CCTGGACAGG	GTCTGGAATG	GATTGGGGCT	ATTTATCCTG	GAGATGGTGA	TACTAGGTAC	180
ACTCAGAAGT	TCAAGGGCAA	GGCACATTG	ACTGCAGATA	AATCCTCCAG	CACAGCCTAC	240
ATGCAACTCA	GCAGCTTGGC	ATCTGAGGAC	TCTGCGGTCT	ATTACTGTGC	AAGA	294

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

TGCTATGGAC TACTGGGGTC AAGGAACCTC AGTCACCGTC TCCTCA

46

(2) INFORMATION FOR SEQ ID NO:29:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 294 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

CAGGTTCAGC TCCAGCAGTC TGGGGCTGAG CTGGCAAGAC CTGGGGCTTC AGTGAAGTTG 60

TCCTGCAAGG CTTCTGGCTA CACCTTTACT AGCTACTGGA TGCAGTGGGT AAAACAGAGG 120

CCTGGACAGG GTCTGGAATG GATTGGGGCT ATTTATCCTG GAGATGGTGA TACTAGGTAC 180

ACTCAGAAGT TCAAGGGCAA GGCCACATTG ACTGCAGATA AATCCTCCAG CACAGCCTAC 240

ATGCAACTCA GGAGCTTGGC ATCTGAGGAC TCTGCGGTCT ATTACTGTGC AAGA 294

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 46 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

25

20

166

pa-148725.v3

10

15

20

25





PATENT Docket No. 30414/2000321 Client Ref. 11D10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

TGCTATGGAC TACTGGGGTC AAGGAACCTC AGTCACCGTC TCCTCA

46

- (2) INFORMATION FOR SEQ ID NO:31:
 - (i) SEQUENCE CHARACTER STICS:
 - (A) LENGTH: 296 base pairs
 - (B) TYPE: nucleid acid
 - (C) STRANDEDNESS; single
 - (D) TOPOLOGY: li/near
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

CAGGTCCAAC TGCAGCAGCC TGGTGCTGAG CTTGTGAAGC CTGGGGCCTC AGTGAAGCTG 60

TCCTGCAAGG CTTCTGGCTA CACTTTCACC AGCTACTGGA TAAACTGGGT GAAGCAGAGG 120

CCTGGACAAG GCCTTGAGTG GATTGGAAAT ATTTATCCTG GTAGTAGTAG TACTAACTAC 180

AATGAGAAGT TCAAGAGCAA GGCCACACTG ACTGTAGACA CATCCTCCAG CACAGCCTAC 240

ATGCAGCTCA GCAGCCTGAC ATCTGACGAC TCTGCGGTCT ATTATTGTGC AAGACG 296

- (2) INFORMATION FOR \$EQ ID NO:32:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 46 base pairs
 - (B) TYPE ≠ nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:


TGCTATGGAC TACTGGGTC AAGGAACCTC AGTCACCGTC TCCTCA 46

- (2) INFORMATION FOR SEQ ID NO:33:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 amino acids
 - (B) / TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ix) FEATURE:
 - (A) NAME/KEY: Modified-site
 - (B) LOCATION: 9
 - (D) OTHER INFORMATION: /note= "May also be the amino acid
 - arginin (R) "
- (ix)/FEATURE:
 - (A) NAME/KEY: Modified-site
 - (B) LOCATION: 15

167

pa-148725.v3





```
(D) OTHER INFORMATION: /note= "May also be the amino Client Ref. 11D10
       qlutamine(E)"
         (ix) FEATURE:
               (A) NAME/KEY: Modified-site
               (B) LOCATION: 16
               (D) OTHER INFORMATION: /note= "May also be the amino acid
       serine(S)"
 5
         (ix) FEATURE:
               (A) NAME/KEY: Modified-site
               (B) LOCATION: 1/9
               (D) OTHER INFORMATION: /note= "May also be the amino acid
       proline (P) "
         (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:
          Gly Ser Thr Ala Pto Pro Ala His Gly Val Thr Ser Ala Pro Asp Thr
10
          Arg Pro Ala Pro
     (2) INFORMATION FOR SEQ ID NO:34:
          (i) SEQUENCE CHARACTERISTICS:
               (A) LENGTH: 23 amino acids
               (B) TYPE: amino acid
               (C) STRANDEDNESS: single
15
               (D) TOPOLOGY: linear
         (ix) FEATURE/:
               (A) NAME/KEY: Modified-site
               (B) LOCATION: 12
               (D) OTHER INFORMATION: /note= "May also be the amino acid
       arginine(R)"
         (ix) FEATURE:
               (A) / NAME / KEY: Modified-site
20
               (B)/LOCATION: 18
               (D) OTHER INFORMATION: /note= "May also be the amino acid
       glutamine(£)"
         (ix) FEATURE:
                (A) NAME/KEY: Modified-site
               (B) LOCATION: 19
               (D) OTHER INFORMATION: /note= "May also be the amino acid
       serine($)"
25
         (ix) FEATURE:
               (A) NAME/KEY: Modified-site
               (B) LOCATION: 22
               (D) OTHER INFORMATION: /note= "May also be the amino acid
                                         168
    pa-148725
```


Q

J



```
proline(P)"
         (ix) FEATURE:
               (A) NAME/KEY: Modified-site
               (B) LOCATION: 2
               (b) OTHER INFORMATION: /note= "May also be the amino acid
      proline(P)"
       (xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:
 5
         Pro Ala Pro Gly Ser Thr Ala Pro Pro Ala His Gly Val Thr Ser Ala
         1
          Pro Asp Thr Arg Pro Ala Pro
                      20
        INFORMATION FOR SEQ ID NO:35:
          (i) SEQUENCE CHARACTERISTICS:
10
               (A) LENGTH: 15 amino acids
                  TYPE: amino acid
               (B)
               (C)
                   STRANDEDNESS: single
                  TOPOLOGY: linear
               (D)
         (xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:
         Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser
          1
                          5
15
     (2) INFORMATION FOR SEQ ID NO:36:
          (i) SEQUENCE CHARACTERISTICS:
               (A) LENGTH: 35 base pairs
               (H) TYPE: nucleic acid
               (¢) STRANDEDNESS: single
               (♠) TOPOLOGY: linear
         (ix) FEATURE:
               (A) NAME/KEY: misc_difference
20
               (B) LOCATION: replace(30, "")
               D) OTHER INFORMATION: /note= "N represents the nucleotide
      Inosine"
         (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:
     CCCAAGCTTC CAGGGRCCAR KGGATARACN GRTGG
                                                                              35
     (2) INFORMATION FOR SEQ ID NO:37:
25
          (i) SEQUENCE CHARACTERISTICS:
               (A) LENGTH: 34 base pairs
               (B) TYPE: nucleic acid
               (C) STRANDEDNESS: single
                                        169
    pa-148725.v3
```

(D) TOPOLOGY: linear



34


20

19

pa-148/725.v3

42

. 30



- (B) TYPE: amino acid
- (C) STRANDEDNES\$: single
- (D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly Gly Ser

5 (2) INFORMATION FOR SEQ ID NO:47:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGT#: 107 amino acids
- (B) TYPE:/amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Leu Gly

Glu Arg Va∥ Ser Leu Thr Cys Arg Ala Ser Gln Asp Ile Gly Ser Ser 25

Leu Asn Trp Leu Gln Gln Glu Pro Asp Gly Thr Ile Lys Arg Leu Ile

Tyr Ala fhr Ser Ser Leu Asp Ser Gly Val Pro Lys Arg Phe Ser Gly 50 55

Ser Arg Ser Gly Ser Asp Tyr Ser Leu Thr Ile Ser Ser Leu Glu Ser 65

Gly Asp Phe Val Asp Tyr Tyr Cys Leu Gln Tyr Ala Ser Ser Pro Tyr

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys

(2) INFORMATION FOR SEQ ID NO:48:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 118 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

GAn Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg Pro Gly Ala 10

172

pa-148/25.v3

oeres aso

15

5

}=

ΠU

ű

20

```
PATENT
                                                       Docket No. 30414/2000321
    Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Pyr ef. 11D10
                                     25
    Trp Met His Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
    Gly Ala Ile Tyr Pro Gly Asn/ Gly Asp Thr Asn Tyr Asn Gln Lys Phe
    Lys Gly Lys Ala Thr Leu Thr Ala Asp Thr Ser Ser Thr Ala Tyr
    Met Gln Leu Ser Ser Leu/Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys
                                         90
                     85
    Ala Arg Gly Xaa Xaa Xaa Gly Ala Met Asp Tyr Trp Gly Gln Gly Thr
                 100
    Ser Val Thr Val Ser Ser
             115
(2) INFORMATION FOR SEQ ID NO:49:
     (i) SEQUENCE CHARACTERISTICS:
          (A) LENGTH: 4/amino acids
          (B) TYPE: amino acid
          (C) STRANDEDNESS: single
          (D) TOPOLOGY: linear
    (ix) FEATURE:
          (A) NAME/KEY: Region
          (B) LOCATION: 1..4
          (D) OTHER/INFORMATION: /note= "position 54-57 of 11D10
 comparison sequence #8(Fig. 26B)"
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:
    Ser Asp Ser/Tyr
(2) INFORMATION FOR SEQ ID NO:50:
     (i) SEQUENCE CHARACTERISTICS:
          (A)/LENGTH: 9 amino acids
```

- - (B)/ TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ix) FEATURE:
 - (A) NAME/KEY: Region
 - (B) LOCATION: 1..9
 - (D) OTHER INFORMATION: /note= "positions 118-126 of 11d10 comparison sequence #2 and positions 100-108 of 11d10 comparison

173

pa-148725/v3

```
sequence #6 (Fig. 26B)
               (xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:
                Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
           (2) INFORMATION FOR SEQ ID NO:51:
       5
                (i) SEQUENCE CHARACTERISTICS:
                     (A) LENGTH: 7 amino acids
                     (B) TYPE: amino acid
                     (C) STRANDEDNESS: single
                     (D) TOPOLOGY: linear
               (ix) FEATURE:
                     (A) NAME/KEY: Region
                     (B) LOCATION: 1..7
                     (D) OTHER INFORMATION: /note= "positions 99-105 of 11D10
             comparison sequence #3 and #8 (Fig. 26B)"
               (xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:
Xaa Xaa Xaa Xaa Xaa Xaa
           (2) INFORMATION FOR SEQ ID NO:52:
                (i) SEQUENCE CHARACTERISTICS:
      15
                     (A) LENGTH: 4 amino acids
                     (B) TYPE: amino acid
                     (C) STRANDEDNESS: single .
Ē
                     (D) TOPOLOGY: linear
1
ΠJ
               (ix) FEATURE:
                     (A) NAME/KEY: Region
                     (B) LOCATION: 1..4
ũ
                     (D) OTHER INFORMATION: /note= "positions 100-103 of 11D10
             comparison sequence #12(Fig. 26B)"
      20
               (xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:
                Val Tyr Tyr Tyr
                1
           (2) INFORMATION FOR SEQ ID NO:53:
                (i) SEQUENCE CHARACTERISTICS:
                     (A) LENGTH: 4 amino acids
      25
                     (B) TYPE: amino acid
                     (C) STRANDEDNESS: single
                     (D) TOPOLOGY: linear
                                              174
```

pa-148725.v3



(ix) FEATURE:

(A) NAME/KRY: Region

(B) LOCATION: 1..4

(D) OTHER INFORMATION: /note= "positions 100-103 of 11D10 comparison sequence #14(Fig. 26B)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

Phe Tyr Phe Tyr

(2) INFORMATION FOR SEQ ID NO:54:

SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE

- (A) NAME/KEY: Region
- (B) LOCATION: 1..4
- (D) OTHER INFORMATION: /note= "positions 100-103 of 11D10 comparison sequence #15(Fig. 26B)"
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

Gly Leu Phe Thr

15

5

(2) INFORMATION FOR SEQ ID NO:55:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

1

Gly \$er Thr Ala Pro Pro Ala His Arg Val Thr Ser Ala Pro Glu Ser 10 15 5

Arg/Pro Pro Pro

20

(2) INFORMATION FOR SEQ ID NO:56:

25

20

(♯) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

175

pa-148/725.v3

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

Pro Pro Pro Arg Ser Slu Pro Ala Ser Thr Val Arg His Ala Pro Pro

Ala Thr Ser Gly 20

5 (2) INFORMATION FOR SEQ ID NO:57:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

Ala Pro Asp Thr Arg Pro Pro Pro 1

(2) INFORMATION FOR SEQ ID NO:58:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 145 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TO♥OLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

Met Gly The Pro Ala Gln Ile Leu Gly Phe Leu Leu Leu Leu Phe Pro 1 5 10 15

Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser 20 25 30

Ala Ser Leu Gly Gln Arg Val Ser Leu Thr Cys Arg Ala Ser Gln Asp
45

Ile Gly Ile Asn Leu His Trp Leu Gln Gln Glu Pro Asp Gly Thr Ile
50 60

Lys Arg Leu Ile Tyr Ala Thr Ser Ser Leu Gly Ser Gly Val Pro Lys
65 70 75 80


Arg Phe Ser Gly Ser Arg Ser Gly Ser Asp Tyr Ser Leu Thr Ile Ser 85 90 95

Ser Leu Glu Ser Gly Asp Phe Val Ala Tyr Tyr Cys Leu Gln Tyr Ala
100 105 110

25

20

176



Ser Ser Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg

Ala Asp Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Lys Leu